

MATERIAL SAFETY DATA SHEET

MAGNAVIS® MAGNETIC PARTICLE 1-GRAY

1. **IDENTIFICATION**

COMPANY ADDRESS	:	ITW INDIA PRIVATE LIMITED PLOT NO 51, 52,207 & 208, PHASE – 2, IDA TSIIC, PASHAMMYLARAM, Sangareddy – 502 307, TELANGANA INDIA.
TELEPHONE FAX PRODUCT USE PACKAGES NFPA Rating	: : : :	91 – 8455 – 224710 91 – 8455 – 224709 Magnetic Particle Inspection 1 Kg pack Health 1, Flammability 0, Reactivity 0.
Revision Date	:	April 01, 2020

2. HAZARDOUS INGREDIENTS

Ingredient	Wt/Wt%	CAS#	TLV	PEL	LD 50	LC 50
------------	--------	------	-----	-----	-------	-------

NONE.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Dust and gritty powder which can irritate the eye and respiratory tract.

POTENTIAL HEALTH EFFECTS

Skin Contact : Avoid Prolonged skin contact.

- Eyes : Gritty material may scratch eye balls.
- Inhalation : Over exposure by inhalation may cause respiratory irritation.

Ingestion : Unknown.

Medical conditions known to be aggravated by exposure to product: Repeated inhalation of dust can produce varying degrees of respiratory irritation or lung damage.

4. FIRST AID

Skin Contact	: Wash with Soap and water, use soothing lotion.
Eyes	: Rinse carefully under upper and lower eyelids using plenty of water.
Inhalation	: Seek medical attention if irritation persists.
Indection	· Do not induce vomiting

Ingestion : Do not induce vomiting.

NOTE: In all severe cases, contact physician immediately.

5. FIRE HAZARD

Conditions of flammability	: None
Flash point	: None
Flammable limits in air	: None
Extinguishing media	: None
Special fire fighting procedures	: None
Hazardous combustion products	: None
Unusual fire hazards	: None

6. ACCIDENTAL RELEASE MEASURES

Mop up or Sweep up. (For disposal, see Section 13)

MSDS/1-Gray/09 dated 04/2020

Page 1 of 2

150 9001 ISO 14001 ISO 14001 OHSAS 18001

ITW India Private Limited, Plot no:51, 52, 207 & 208, Phase -2, IDA, TSIIC, Pashammylaram, Sangareddy Dist.-502307, Telangana State, India Telephone: +91 8455 224710. Facsimile: +91 8455 224709. E-mail : magnafluxinfo@magnafluxindia.com, Website: www.in. magnaflux.com



7. HANDLING AND STORAGE

Avoid breathing dust. Keep dry.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Controls: None

Personal protection: Respirator with filter if sprayed in enclosed, unventilated space.

9. PHYSICAL PROPERTIES

Initial boiling point (bulk) :	Not applicable.	Vapor pressure :	Not ap	plicable	
Percent volatile :	None	Vapor density :	Not ap	plicable	
Evaporation rate : Not app	blicable	Water Solubility : 0%			
Appearance :	Gray Dusty powder	pН	:	Neutral	
Odor :	None	Density/Sp.Grav	vity :	3.0 - 4.0(Bulk)	

10. STABILITY AND REACTIVITY

Stability	:	Stable
Incompatibility	:	Acids
Hazardous decomposition products :	None	
Reactivity	:	None

11. TOXICOLOGICAL INFORMATION

Carcinogenicity	: Contains no known or suspected carcinogens listed with OSHA, IARC, NTP or ACGIH
Threshold limit value	5mg/cubic meter for respirable dust.
WHMIS information	: According to available information, the ingredients have not been found to show
(Canada)	Reproductive toxicity, Teratogenicity, Mutagenicity, Skin sensitization, or Synergistic
	toxic effects with other material.

12. ECOLOGICAL INFORMATION

No data is available on 1-Gray.

13. DISPOSAL

Dispose of as ordinary waste. RCRA: Not a hazardous waste U.S EPA Waste number: None

14. TRANSPORTATION U.S.DOT: 49 CFR.172.101 Hazardous Material Table

		<u>Bulk</u>
Proper shipping name	:	None, not restricted
Hazard class or division	:	None
Identification No.	:	None
Packing Group	:	None

15. REGULATORY INFORMATION

TSCA	:	All ingredients are listed in TSCA inventory.
CERCLA	:	Not reportable
SARA TITLE III, Section 313	:	No reportable ingredients
California Proposition 65	:	Contains nothing on this list.
WHMIS Class (Canada)	:	Not a controlled product.

Note: This MSDS has been prepared to meet WHMIS (Canada) requirements with the exception of using 16 headings.

16. OTHER INFORMATION

Revision Statement : Reviewed and Updated the address

MSDS/1-Gray/09 dated 04/2020

ĹÂ

Page 2 of 2

ISO 9001 ITW India Private Limited, Plot no:51, 52, 207 & 208, Phase -2, IDA, TSIIC, Pashammylaram, Sangareddy Dist.-502307, Telangana State, India ISO 14001 OHSAS 18001 Telephone: +91 8455 224710. Facsimile: +91 8455 224709. E-mail : magnafluxinfo@magnafluxindia.com, Website: www.in. magnaflux.com

> Regd. Office: ITW India Private Limited, Level 1, Lotus Plaza, 732/1, Mehrauli Gurgaon Road, Sector - 14, Gurgaon - 122 001, Haryana, India. Telephone : +91 - 124 - 4284381, Facsimile : +91 - 124 - 4284389, E-mail : infoindia@itw.com