

Prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Date of issue: 09/01/2016 Revision date: 09/01/2016 Version: 1.0

SECTION 1: IDENTIFICATION

1.1. PRODUCT IDENTIFIER

Product name

: Daraclean 282

Product code : Not available

1.2. RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

Use of the substance/mixture

: Non-Destructive Testing

Distributor

1.3. DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Manufacturer Magnaflux 155 Harlem Ave. Glenview, IL 60025 - USA T: 847-657-5300

1.4. EMERGENCY TELEPHONE NUMBER

Emergency number

: CHEMTREC 800-424-9300

SECTION 2: HAZARDS IDENTIFICATION

2.1. CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

The hazards given in this SDS apply to the product at full concentration. By diluting the product, the hazards will be reduced. It is up to the employer/user to determine the proper personal protection equipment and safety precautions when using diluted product.

GHS classification

Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1

2.2. LABEL ELEMENTS

GHS labelling

Hazard pictograms (GHS)



- Signal word (GHS) Hazard statements (GHS) Precautionary statements (GHS)
- : Danger
- : Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction.
- : Wash hands thoroughly after handling. Wear protective gloves/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3. OTHER HAZARDS

No additional information available 2.4. UNKNOWN ACUTE TOXICITY (GHS) Not applicable

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1.SUBSTANCENot applicable



Prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

3.2. MIXTURE		
Name	Product identifier	%
Diethylene glycol monobutyl ether	(CAS No) 112-34-5	3.00
Triethanolamine	(CAS No) 102-71-6	1.20
Potassium hydroxide	(CAS No) 1310-58-3	0.90
Tolyltriazole, sodium salt	(CAS No) 64665-57-2	0.51
Ethanolamine	(CAS No) 141-43-5	0.50
D-Limonene	(CAS No) 5989-27-5	0.50
Morpholine	(CAS No) 110-91-8	0.40
2-Mercaptobenzothiazole	(CAS No) 149-30-4	0.20

SECTION 4: FIRST AID MEASURES

4.1. DESCRIPTION OF FIRST AID MEASURES

First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.
First-aid measures after eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. Get medical attention immediately.
First-aid measures after ingestion	: If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.
4.2. MOST IMPORTANT SYMPTOMS	S AND EFFECTS, BOTH ACUTE AND DELAYED
Symptoms/injuries after inhalation	: May cause respiratory tract irritation.
Symptoms/injuries after skin contact	: Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. May cause an allergic skin reaction.
Symptoms/injuries after eye contact	: Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and

- Symptoms/injuries after eye contact : Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.
- Symptoms/injuries after ingestion : May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

4.3. INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

SECTION 5: FIREFIGHTING MEASURES

5.1. EXTINGUISHING MEDIA	
Suitable extinguishing media	: Powder, water spray, foam, carbon dioxide.
Unsuitable extinguishing media	: Do not use a solid water stream as it may scatter and spread fire.
5.2. SPECIAL HAZARDS ARISING FRO	M THE SUBSTANCE OR MIXTURE
Fire hazard : Products of combustion may include, and are not limited to: oxides of carbon.	

5.3. ADVICE FOR FIREFIGHTERS

Protection during firefighting

: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). Use water spray to keep fire-exposed containers cool.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. PERSONAL PRECAUTIONS, PROT	PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES	
General measures	: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Avoid contact with skin and eyes. Spills of this material are a slipping hazard.	
6.2. METHODS AND MATERIAL FOR C	ONTAINMENT AND CLEANING UP	
For containment	: Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).	
Methods for cleaning up	: Scoop up material and place in a disposal container. Provide ventilation.	
6.3. REFERENCE TO OTHER SECTION	S	

See section 8 for further information on protective clothing and equipment and section 13 for advice on waste disposal.



Prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 7: HANDLING AND STORAGE

7.1. PRECAUTIONS FOR SAFE HANDLING

Precautions for safe handling

 Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke.
Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.

: Keep out of the reach of children. Keep container tightly closed and in a well-ventilated place.

Hygiene measures

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Storage conditions

7.3. SPECIFIC END USE(S)

Not available.

7.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. CONTROL PARAMETERS

Diethylene glycol monobutyl ether (112-34-5)		
ACGIH	ACGIH TWA (ppm)	10 ppm (inhalable fraction and vapor)
OSHA	Not applicable	

Triethanolamine (102-71-6)		
ACGIH ACGIH TWA (mg/m ³)		5 mg/m³
OSHA	Not applicable	

Potassium hydroxide (1310-58-3)				
ACGIH	ACGIH Ceiling (mg/m ³) 2 mg/m ³			
OSHA	Not applicable			
USA - NIOSH	NIOSH REL (ceiling) (mg/m ³) 2 mg/m ³			

Tolyltriazole, sodium salt (64665-57-2)	
ACGIH	Not applicable
OSHA	Not applicable

Ethanolamine (141-43-5)		
ACGIH ACGIH TWA (ppm)		3 ppm
ACGIH	ACGIH STEL (ppm)	6 ppm
OSHA	OSHA PEL (TWA) (mg/m ³)	6 mg/m ³
OSHA OSHA PEL (TWA) (ppm)		3 ppm
USA - IDLH US IDLH (ppm)		30 ppm
USA - NIOSH NIOSH REL (TWA) (mg/m ³)		8 mg/m ³
USA - NIOSH NIOSH REL (TWA) (ppm)		3 ppm
USA - NIOSH NIOSH REL (STEL) (mg/m ³)		15 mg/m³
USA - NIOSH NIOSH REL (STEL) (ppm)		6 ppm

D-Limonene (5989-27-5)		
	ACGIH	Not applicable
	OSHA	Not applicable

Morpholine (110-91-8)		
ACGIH	ACGIH TWA (ppm)	20 ppm
OSHA	OSHA PEL (TWA) (mg/m ³)	70 mg/m ³
OSHA	OSHA PEL (TWA) (ppm)	20 ppm
USA - IDLH	US IDLH (ppm)	1400 ppm (10% LEL)
USA - NIOSH	NIOSH REL (TWA) (mg/m ³)	70 mg/m ³
USA - NIOSH	NIOSH REL (TWA) (ppm)	20 ppm
USA - NIOSH NIOSH REL (STEL) (mg/m ³)		105 mg/m ³



Prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Morpholine (110-91-8)			
USA - NIOSH	NIOSH REL (STE	EL) (ppm)	30 ppm
2-Mercaptobenzothiazole (14	49-30-4)		
ACGIH	Not applicable		
OSHA	Not applicable		
8.2. EXPOSURE CONTROLS			
Appropriate engineering controls	s :	: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.	
Hand protection	:	: Wear chemically resistant protective gloves.	
Eye protection	:	: Wear approved eye protection (properly fitted dust- or splash-proof chemical safety goggles) and face protection (face shield).	
Skin and body protection	:	: Wear suitable protective clothing.	
Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and t safe working limits of the selected respirator.		ted exposure levels, the hazards of the product and the	
Environmental exposure controls : Maintain levels below Community environmental protection thresholds.		nvironmental protection thresholds.	
Other information : Do not eat, smoke or drink where material is handled, processed or stored. Wash hands car before eating or smoking. Handle according to established industrial hygiene and safety practice of the statement of			

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: Liquid
Appearance	: Thin liquid
Colour	: Yellow
Odour	: Citrus
Odour threshold	: No data available
рН	: 12.5
Melting point	: No data available
Freezing point	: No data available
Boiling point	: Initial: 100 °C (212 °F)
Flash point	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: Not flammable
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Vapour pressure	: No data available
Relative density	: 1.03
Relative vapour density at 20 °C	: No data available
Solubility	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. OTHER INFORMATION	
VOC content	: 42.03 g/l



Prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 10: STABILITY AND REACTIVITY

10.1. REACTIVITY

No dangerous reaction known under conditions of normal use.

10.2. CHEMICAL STABILITY

Stable under normal storage conditions.

10.3. POSSIBILITY OF HAZARDOUS REACTIONS

No dangerous reaction known under conditions of normal use.

10.4. CONDITIONS TO AVOID

Heat. Incompatible materials.

10.5. INCOMPATIBLE MATERIALS

Strong acids. Strong bases. Strong reducing agents. Strong oxidizing agents.

10.6. HAZARDOUS DECOMPOSITION PRODUCTS

May include, and are not limited to: oxides of carbon.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. INFORMATION ON TOXICOLOGICAL EFFECTS

Acute toxicity

: Not classified.

Daraclean 282	
LD50 oral rat	> 2000 mg/kg (Calculated Acute Toxicity Estimate)
LD50 dermal rabbit	> 2000 mg/kg (Calculated Acute Toxicity Estimate)
LC50 inhalation rat	> 20 mg/l/4h (Calculated Acute Toxicity Estimate)
Diethylene glycol monobutyl ether (112-34-5)	
LD50 oral rat	5660 mg/kg
LD50 dermal rabbit	2700 mg/kg
Triethanolamine (102-71-6)	
LD50 oral rat	4190 mg/kg
LD50 dermal rabbit	> 20 ml/kg
Potassium hydroxide (1310-58-3)	
LD50 oral rat	284 mg/kg
Ethanolamine (141-43-5)	
LD50 oral rat	1720 mg/kg
LD50 dermal rabbit	1000 mg/kg
D-Limonene (5989-27-5)	
LD50 oral rat	4400 mg/kg
LD50 dermal rabbit	> 5 g/kg
Morpholine (110-91-8)	
LD50 oral rat	1050 mg/kg
LD50 dermal rabbit	310 - 810 mg/kg
LC50 inhalation rat	8000 ppm/8h
2-Mercaptobenzothiazole (149-30-4)	
LD50 oral rat	100 mg/kg
LD50 dermal rabbit	> 7940 mg/kg
Skin corrosion/irritation	: Causes skin irritation based on test results.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.



Prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Triethanolamine (102-71-6)	
IARC group	3 - Not classifiable
D-Limonene (5989-27-5)	
IARC group	3 - Not classifiable
National Toxicology Program (NTP) Status	1 - Evidence of Carcinogenicity
Morpholine (110-91-8)	
IARC group	3 - Not classifiable
2-Mercaptobenzothiazole (149-30-4)	
IARC group	2A - Probably carcinogenic to humans
National Toxicology Program (NTP) Status	1 - Evidence of Carcinogenicity
Reproductive toxicity	: Based on available data, the classification criteria are not met.
Specific target organ toxicity (single exposure)	: Based on available data, the classification criteria are not met.
Specific target organ toxicity (repeated exposure)	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation	: May cause respiratory tract irritation.
Symptoms/injuries after skin contact	: Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. May cause an allergic skin reaction.
Symptoms/injuries after eye contact	: Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.
Symptoms/injuries after ingestion	: May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

SECTION 12: ECOLOGICAL INFORMATION

12.1. TOXICITY

Ecology - general

: May cause long-term adverse effects in the aquatic environment.

12.2. PERSISTENCE AND DEGRADABILITY

Daraclean 282	
Persistence and degradability	Not established.
12.3. BIOACCUMULATIVE POTENTIAL	
Daraclean 282	
Bioaccumulative potential	Not established.
12.4. MOBILITY IN SOIL	
No additional information available	
12.5.OTHER ADVERSE EFFECTS Effect on the global warming	: No known effects from this product.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. WASTE TREATMENT METHODS

Waste disposal recommendations

: This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.

SECTION 14: TRANSPORT INFORMATION

In accordance with DOT/TDG/IATA/IMDG	
DOT (bulk)	: Not regulated for transport
DOT (non-bulk)	: Not regulated for transport
TDG	: Not regulated for transport
IATA	: Not regulated for transport
IMDG	: Not regulated for transport



Prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

ADDITIONAL INFORMATION

Other information

: No supplementary information available.

Special transport precautions

: Do not handle until all safety precautions have been read and understood.

SECTION 15: REGULATORY INFORMATION

15.1. FEDERAL REGULATIONS


All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories, except for:

LZ-Z 1	RR-10545-3
Diethylene glycol monobutyl ether (112-34	-5)
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA Y2 - Y2 - indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule
2-Mercaptobenzothiazole (149-30-4)	
Subject to reporting requirements of United St	tates SARA Section 313
SARA Section 313 - Emission Reporting	1.0 %
NFPA health hazard	: 3

: 0

: 0



15.2. US STATE REGULATIONS

NFPA fire hazard

NFPA reactivity

Daraclean 282	
State or local regulations	This product contains chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.
SECTION 16: OTHER I	FORMATION
Date of issue	: 09/01/2016
Devision data	

Revision date: 09/01/2016Other information: None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.