

MATERIAL SAFETY DATA SHEET

SPOTCHECK[®] PENETRANT SKL-SP1

1. **IDENTIFICATION**

COMPANY ADDRESS	:	ITW INDIA PRIVATE LIMITED PLOT NO 51, 52,207 & 208, PHASE – 2, IDA TSIIC, PASHAMMYLARAM, SANGAREDDY – 502 307, TELANGANA INDIA.
TELEPHONE FAX PRODUCT USE PACKAGES NFPA Rating <i>Revision Date</i>	:	91 – 8455 – 224710 91 – 8455 – 224709 Visible inspection penetrant Aerosol,1 L,5 L & 200 L Health 1, Flammability 1(Aerosol Flammability 4), Reactivity 0. April 1, 2020.

2. HAZARDOUS INGREDIENTS

Ingredient	Wt/Wt%	CAS#	TLV	PEL	LD 50	LC 50
White mineral oil (petroleum)	60 -80	8042-47-5	5mg/m3	5mg/m3	NA	NA
Phthalic esters	5 - 25		NA	NA	NA	NA
Isobutane (propellant):	30%	75 - 28-5	NA	1000 ppm	NA	NA

3. HAZARDS IDENTIFICATION

<u>EMERGENCY OVERVIEW</u> Bland, oily liquid which may irritate the skin and eyes. Bulk material is difficult to ignite , but will burn vigorously if engulfed in fire. Aerosol is extremely flammable

POTENTIAL HEALTH EFFECTS

 Skin Contact
 : Can irritate by removing natural skin oils on long or repeated exposures

 Eyes
 : May Irritate

 Inhalation
 : Not significant at room temperatures. When heated or sprayed, vapors may cause dizziness or nausea

 Ingestion
 : Not significant in small(mouthful)quantities

 Madiant in small(mouthful)quantities
 : Not significant in small(mouthful)quantities

Medical conditions known to be aggravated by exposure to product: None

4. FIRST AID

Skin Contact	:	Wash off with soap water .Use soothing lotion
•••••••••••••••••••••••••••••••••••••••	•	That is that beap mater rece becaming reaction

Eyes : Rinse carefully under upper and lower eyelids using plenty of water

Inhalation : Remove to fresh air if dizzy or nauseated

Ingestion : Do not induce vomiting. Accidental ingestion of a small mouthful quantity is not expected to cause significant harm NOTE: In all severe cases, contact physician immediately.

5. FIRE HAZARD

Conditions of flammability	: Aerosol : Spraying near an ignition source will ignite spray mist
	Bulk : None unless heated over 93 deg C near ignition source
Flash point	: Min 93 deg C (PMCC)
Flammable limits in air	: 1 to 6%
Extinguishing media	: Carbon dioxide , Foam
Special fire fighting procedures	 Keep containers cool with water spray.Donot spray water directly on burning SKL-SP1.It may float and spread the fire
Hazardous combustion products	: Smoke,soot,oxides or carbon and nitrogen
Unusual fire hazards	: Aerosol containers may burst at temperatures over 54 deg C and spray contents into a fire

6. ACCIDENTAL RELEASE MEASURES

Mop up or Sweep up with absorbent (For disposal see Section 13)

MSDS/SKL SP1/03 dated 04/2020

Page 1 of 2



ITW India Private Limited, Plot no:51, 52, 207 & 208, Phase -2, IDA, TSIIC, Pashammylaram, Sangareddy Dist.-502307, Telangana State, India Telephone: +91 8455 224710. Facsimile: +91 8455 224709. E-mail : magnafluxinfo@magnafluxindia.com, Website: www.in. magnaflux.com



7. HANDLING AND STORAGE

Store away from heat source. Avoid eye contact. Avoid repeated or prolonged skin contact. Avoid breathing spray mist.Donot spray around arcs or flames

EXPOSURE CONTROLS/PERSONAL PROTECTION 8.

Controls None, unless sprayed. Use where ventilation will carry spray mist away from occupied areas Personal protection Wear safety glasses to protect eyes. Wear nitrile rubber gloves if hand exposure is unavoidable. Respirator with filter if sprayed in enclosed unventilated space.

PHYSICAL PROPERTIES 9

Initial boiling point (bulk)	:	Min 235 deg C	Vapor pressure	:	Aerosol 60 psi, Bulk <0.1 mm @ 24 deg C
Percent volatile	:	None (30% in aerosol)	Vapor density	:	Heavier than air
Density/sp. gravity	:	0.89	Evaporation rate	:	Negligible
Water solubility	:	0 (emulsifies into water)	Appearance	:	Dark Red oily liquid
pH	:	Neutral	Odor	:	Mild oily odour

10. STABILITY AND REACTIVITY

Stability	:	Stable
Incompatibility	:	None
Hazardous decomposition products	:	Soot, oxides of carbon and nitrogen when burning
Reactivity	:	None

11. TOXICOLOGICAL INFORMATION

Carcinogenicity	:	Contains no known or suspected carcinogens listed with OSHA, IARC, NTP or ACGIH
Threshold limit value	:	5mg/cubic meter for oily mist
WHMIS information (Canada)	:	According to available information, the ingredients have not been found to show reproductive toxicity,
		Teratogenicity, Mutagenicity, Skin sensitization, or Synergistic toxic effects with other material.

12. ECOLOGICAL INFORMATION

No data is available on SKL-SP1. It floats on water and can be skimmed off. Its low bulk vapor pressure may exempt it from VOC restrictions. The hydrocarbon propellant is not an ozone depleter.

13. DISPOSAL

As a non-hazardous oily waste, incinerate or send to waste handler who can blend it into secondary fuels. Empty aerosol cans before disposal. Non hazardous waste as per classification in The Hazardous Wastes (Management and Handling) Rules 1989, of CPCB,India RCRA: Not a hazardous waste U.S EPA Waste number: None

14. TRANSPORTATION

		<u>Bulk (IATA & IMDG)</u>	<u>Aerosol(IATA)</u>	<u>Aerosol(IMDG)</u>
Proper shipping name Hazard class or division Identification No. Packing Group	: : :	None, not restricted None None None	Consumer commodity 2.1 UN 1950 -	Aerosols 2.1 UN 1950 -

15. REGULATORY INFORMATION

TSCA	:	All ingredients are listed in TSCA inventory.
CERCLA	:	Not reportable
SARA TITLE III, Section 313	:	No reportable ingredients
California Proposition 65	:	Contains nothing on this list

16. OTHER INFORMATION

Revision Statement : Updated the address

MSDS/SKL SP1/03 dated 04/2020

Page 2 of 2



ITW India Private Limited, Plot no:51, 52, 207 & 208, Phase -2, IDA, TSIIC, Pashammylaram, Sangareddy Dist.-502307, Telangana State, India Telephone: +91 8455 224710. Facsimile: +91 8455 224709. E-mail : magnafluxinfo@magnafluxindia.com, Website: www.in. magnaflux.com

> Regd. Office: ITW India Private Limited, Level 1, Lotus Plaza, 732/1, Mehrauli Gurgaon Road, Sector · 14, Gurgaon · 122 001, Haryana, India. Telephone : +91 - 124 - 4284381, Facsimile : +91 - 124 - 4284389, E-mail : infoindia@itw.com