

MATERIAL SAFETY DATA SHEET

SPOTCHECK[®] PENETRANT SKL-WP

IDENTIFICATION 1.

COMPANY ADDRESS	:	ITW INDIA PRIVATE LIMITED PLOT NO 51, 52,207 & 208, PHASE – 2, IDA TSIIC, PASHAMMYLARAM, Sangareddy – 502 307, TELANGANA INDIA.
TELEPHONE FAX PRODUCT USE PACKAGES NFPA Rating <i>Revision Date</i>	:	91 – 8455 – 224710 91 – 8455 – 224709 Visible inspection penetrant Aerosol,1 L,5 L & 200 L Health 1, Flammability 1(Aerosol Flammability 4), Reactivity 0. April 1, 2020.

HAZARDOUS INGREDIENTS 2

Ingredient	Wt/Wt%	CAS#	TLV	PEL	<u>LD 50</u>	LC 50
Paraffin's (petroleum), normal C5 – C20	30 -60%	64771-72-8	NA	NA	NA	NA
Poly (oxy – 1, 2 – ethanediyl-nonylphenyl)						
-hydroxyl:	30 – 60%	9016-45-9	NA	NA	2g/kg (oral/rat)	NA
Heavy aromatic solvent naphtha:	0.5 –1.5%	64742-94-5	NA	NA	1.8g/kg(oral/rat)	NA
Isobutane (propellant):	30%	75 - 28-5	NA	NA	NA	NA

HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW Bland, oily liquid which may irritate the skin and eyes. Bulk material is difficult to ignite, but will burn vigorously if engulfed in fire. Aerosol is extremely flammable

POTENTIAL HEALTH EFFECTS

Can irritate by removing natural skin oils on long or repeated exposures				
Irritating.				
Not significant at room temperatures. When heated or sprayed, vapors may cause dizziness or nausea				
Not significant in small(mouthful)quantities				
Medical conditions known to be aggravated by exposure to product: None				

4. FIRST AID

- Skin Contact Wash off with soap water .Use soothing lotion
- Rinse carefully under upper and lower eyelids using plenty of water Eyes ÷
- Inhalation Remove to fresh air if dizzy or nauseated :
- Ingestion Do not induce vomiting. Accidental ingestion of a small mouthful quantity is not expected to cause significant harm : NOTE: In all severe cases, contact physician immediately.

FIRE HAZARD 5.

Conditions of flammability	: Aerosol : Spraying near an ignition source will ignite spray mist
	Bulk : None unless heated over 93 deg C near ignition source
Flash point	: Min 93 deg C (PMCC)
Flammable limits in air	: 1 to 6%
Extinguishing media	: Carbon dioxide , Foam
Special fire fighting procedures	 Keep containers cool with water spray.Donot spray water directly on burning SKL-WP.It may float and spread the fire
Hazardous combustion products	: Smoke, soot, oxides or carbon and nitrogen
Unusual fire hazards	: Aerosol containers may burst at temperatures over 54 deg C and spray contents into a fire

ACCIDENTAL RELEASE MEASURES 6.

Mop up or Sweep up with absorbent (For disposal see Section 13)

MSDS/SKL WP/24 dated 04/2020

ISO 9001

ISO 14001

ĴΔ

Page 1 of 2

ITW India Private Limited, Plot no:51, 52, 207 & 208, Phase -2, IDA, TSIIC, Pashammylaram, Sangareddy Dist.-502307, Telangana State, India Telephone: +91 8455 224710. Facsimile: +91 8455 224709. E-mail : magnafluxinfo@magnafluxindia.com, Website: www.in. magnaflux.com **OHSAS 18001**



HANDLING AND STORAGE 7.

Store away from heat source. Avoid eye contact. Avoid repeated or prolonged skin contact. Avoid breathing spray mist.Donot spray around arcs or flames

EXPOSURE CONTROLS/PERSONAL PROTECTION 8.

Controls None, unless sprayed. Use where ventilation will carry spray mist away from occupied areas Personal protection Wear safety glasses to protect eyes. Wear nitrile rubber gloves if hand exposure is unavoidable. Respirator with filter if sprayed in enclosed unventilated space.

PHYSICAL PROPERTIES 9

Initial boiling point (bulk) Percent volatile Density/sp. gravity Water solubility	:	Min 235 deg C None (30% in aerosol) 0.89 0 (emulsifies into water)		:	Aerosol 60 psi, Bulk <0.1 mm @ 24 deg C Heavier than air Negligible Dark Red oily liquid Mild pdour
рН	:	Neutral	Odor	:	Mild oily odour

10. STABILITY AND REACTIVITY

Stability	:	Stable
Incompatibility	:	None
Hazardous decomposition products	:	Soot, oxides of carbon and nitrogen when burning
Reactivity	:	None

11. TOXICOLOGICAL INFORMATION

Carcinogenicity Threshold limit value WHMIS information (Canada) Contains no known or suspected carcinogens listed with OSHA, IARC, NTP or ACGIH 5ma/cubic meter for oilv mist According to available information, the ingredients have not been found to show reproductive toxicity, Teratogenicity, Mutagenicity, Skin sensitization, or Synergistic toxic effects with other material.

12. ECOLOGICAL INFORMATION

No data is available on SKL-WP. It emulsifies into water and is bio degradable. Its low bulk vapor pressure may exempt it from VOC restrictions. The hydrocarbon propellant is not an ozone depleter.

13. DISPOSAL

As a non-hazardous oily waste, incinerate or send to waste handler who can blend it into secondary fuels. Empty aerosol cans before disposal. Non hazardous waste as per classification in The Hazardous Wastes (Management and Handling) Rules 1989, of CPB.India RCRA: Not a hazardous waste U.S EPA Waste number: None

14. TRANSPORTATION

U.S.DOT: 49 CFR 172.101 Hazardous Material Table

		Non-aerosol	Aerosol
Proper shipping name	:	None, not restricted	Consumer commodity
Hazard class or division	:	None	ORM-D
Identification No.	:	None	None
Packing Group	:	None	None

15. REGULATORY INFORMATION

TSCA	:
CERCLA	:
SARA TITLE III, Section 313	:
California Proposition 65	:

All ingredients are listed in TSCA inventory. Not reportable No reportable ingredients Contains nothing on this list

16. OTHER INFORMATION

Revision Statement : Updated the address

MSDS/SKL WP/24 dated 04/2020

ISO 9001

ISO 14001

Page 2 of 2

ITW India Private Limited, Plot no:51, 52, 207 & 208, Phase -2, IDA, TSIIC, Pashammylaram, Sangareddy Dist.-502307, Telangana State, India Telephone: +91 8455 224710. Facsimile: +91 8455 224709. E-mail : magnafluxinfo@magnafluxindia.com, Website: www.in. magnaflux.com **OHSAS 18001**

> Regd. Office: ITW India Private Limited, Level 1, Lotus Plaza, 732/1, Mehrauli Gurgaon Road, Sector - 14, Gurgaon - 122 001, Haryana, India. Telephone : +91 - 124 - 4284381, Facsimile : +91 - 124 - 4284389, E-mail : infoindia@itw.com